

AUG 22 2000

510(K) SUMMARY FOR K002340

Submitted For: GLORMED INTERNATIONAL, INC.
No. 20, Alley 1, Lane 217, Sec 3
Chung Shaio East Road
Taipei, Taiwan P.R.C.
Phone: 886-2-7814811
Fax: 886-2-7814821

Submitted By: TUCKER & ASSOCIATES
Official Correspondent and United
States Agent for GLORMED INTERNATIONAL, INC.
JANNA P. TUCKER
198 Avenue de la D'emerale
Sparks, NV 89434
Phone: 775-342-2612
Fax: 775-342-2613

Date of Submission: 18 July 2000

Device Name: VINYL EXAM GLOVE, POWDER-FREE, YELLOW
A Class I Device, Product Code: 80LYZ

Proprietary Name: (Multiple Labels) Vinyl Exam Glove, Powder-Free, Yellow

Labels/Labeling: This device will be marketed to healthcare professionals at
Dentist and Doctor Offices, Laboratories, Clinics and
Hospitals through its intended use.

Intended Use: A patient examination glove is a disposable device intended
for medical purposes that is worn on the examiner's hand
or finger to prevent contamination between patient and
examiner.

Substantial Equivalence:
This device is equivalent to those in commercial distribution.
They are to be worn as a protective device on the examiner's hand
or finger, also protecting the patient.

Both in its intended use and/or physical characteristics, this
device is equivalent to devices currently marketed by U.S.
companies. It is **substantially equivalent** to the devices

manufactured by Shanghai Poseidon (K992979) and the same glove of Glormed International (K983494) except for yellow dye being added to this glove.

**Test Results (Means
And/or Results):**

This device has met or exceeded the following
Standards/Tests:

ASTM D 5250-00

ASTM D 5151-99

Bio-Compatibility:

Dermal Sensitization

Primary Skin Irritation

Bacteria

Bioburden

Conclusion:

This device is substantially equivalent to the devices approved
as K983494 and K992979.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

AUG 22 2000

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Glormed International, Incorporated
C/O Ms. Janna P. Tucker
Official Correspondent
Tucker & Associates
198 Avenue De La D' emerald
Sparks, Nevada 89434-9550

Re: K002340
Trade Name: Vinyl Examination Glove, Powder-Free, Yellow
Regulatory Class: I
Product Code: LYZ
Dated: July 27, 2000
Received: August 1, 2000

Dear Ms. Tucker:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Ms. Tucker

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>",

Sincerely yours,



Timothy A. Ulatowski
Director
Division of Dental, Infection Control
and General Hospital Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

INDICATIONS FOR USE

APPLICANT: GLORMED INTERNATIONAL, INC.


510(k) NUMBER: K002340

DEVICE NAME: VINYL EXAMINATION GLOVE,
POWDER-FREE, YELLOW

A patient examination glove is a disposable device intended for medical purposes that is worn on the examiner's hand or finger to prevent contamination between patient and examiner.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)


(Division Sign-Off)
Division of Dental, Infection Control,
and General Hospital Devices
510(k) Number K002340

Prescription Use _____
(Per 21 CFR 801.109)

OR

Over-The-Counter Use X

(Optional Format 1-2-96)

EXHIBIT B
Page 2 of 56